



# **HYCON HYDRAULIC POWER**



#### **HYCON Pick-Hammer**



Weight, kg	9.9
Oil flow, l.p.m.	20
Working pressure, bar	100
Max. pressure, bar	160
Blow frequency, 1/min.	2100
Vibration level, m/s <sup>2</sup>	15.8
Tool size, mm hex	19x50

## HYCON FACTS

HYCON HH10 is a handy, compact, lightweight pick hammer. It is the strongest 10kg breaker in the world. It is ideal for horizontal and difficult jobs like in narrow spaces and under water, where it takes special tools to do such special jobs.

# HYCON Breakers 22kg+



Weight, kg	from 22
Oil flow, I.p.m.	20/30
Working pressure, bar	from 100
Max. pressure, bar	160
Blow frequency, 1/min.	from 1260
Vibration level, m/s <sup>2</sup>	from 2.8
Tool size, mm hex	Ask

## **HYCON FACTS**

HYCON offers 8 breakers up to 30kg. All of them offering a high performance and anti vibration handles. Due to the high quality of the breakers, it is possible to work under even the most difficult conditions like under

#### **HYCON Rock Drill**



Weight, kg	20
Oil flow, l.p.m.	20-25
Working pressure, ba	ar 115
Max. pressure, bar	160
Rotation C	Counterclockwise
Vibration level, m/s <sup>2</sup>	23.6
Tool chuck size, mm	hex 22x108

#### **HYCON FACTS**

A good rock drill is an important tool for many divers. The HYCON drill is the right choice offering high performance to weight and 4 different settings on striking and rotation giving the highest versatility.

## **HYCON Hydraulic Powerpacks**



HYCON offers the largest range of power packs in the market. Performance is world class from 9HP/5.5kW (20lpm) to 18HP/11kW (40lpm) petrol or electric. All tools loose power under water and therefore top class performance is essential. All of them are designed for hard work and tough conditions. The simple but strong design secures constant use day after day with little need for service. It is the right partner for users dependant on stability and performance.

The strong frame makes it a solid machine with no break downs even "when the going gets tough" and protects the inside of the power pack. The HYCON way or the highway...

# LIGHT WEIGHT - easy transport



#### DISTRIBUTOR

# HYCON Core Drill



Weight, kg	7.6
Oil flow, l.p.m.	20
Working pressure	, bar 100
Max. pressure, bai	170
Drill size, mm	ø25-ø350
Vibration level, m	/s <sup>2</sup> < 2.5
Core bits	Standard 1¼" UNC

## **HYCON FACTS**

HYCON offers 2 drills giving a drilling range from ø25 to ø350mm. The drills will drill in any material even with rebars. The drills have a built in safety shut off function making it ideal for handheld drilling. No need for a drill stand.

# HYCON Cut-off Saw



14": 8,70 kg . 16": 8,98 kg . 18": 9,36 kg		
Oil flow, l.p.m.	20-40	
Working pressure, b	ar 120	
Max. pressure, bar	172	
Cutting depth, mm	137/162/187	
Vibration level, m/s <sup>2</sup>	₹2.5	
Disc size, mm	ø350/ø400/ø450	

## **HYCON FACTS**

HYCON is the only one offering 3 models from ø350 to ø450mm. All saws are extremely easy to work and can be used both horizontally and vertically. Other saws in the market cannot be used under water due to their design. HYCON makes it possible.



HYCON A/S Juelstrupparken 11 DK-9530 Støvring Tel +45 9647 5200 Fax +45 9647 5201 www.hycon.dk